




HANVI
COMPRESSORS PVT LTD

ROTARY TYPE SCREW AIR COMPRESSORS



ERGONOMIC BY DESIGN
RELIABLE WITH SERVICES



AIR RECEIVER



Model	Capacity	Flow	Max Working Pressure	End Connections
	ltr.	m3/min	bar g	
HAR 00 020	500	0.5	7 - 13	1½" NPT
HAR 00 040	1000	1	7 - 13	2" NB FLG
HAR 00 060	1500	1.5	7 - 13	2" NB FLG
HAR 00 080	2000	2	7 - 13	2" NB FLG
HAR 00 120	3000	3	7 - 13	2" NB FLG
HAR 00 160	4000	4	12.5	4" NB FLG
HAR 00 200	5000	5	12.5	4" NB FLG

The Dimensions & Weight can vary as per company offering & products improvement
The Company on product improvement and reserves the right of design improvement parameters are subject to change without prior notice.

LINE FILTERS



TYPE PF

High efficiency General Purpose Protection

For the removal of particles down to 1 micron including coalesced liquid water and oil, providing a maximum remaining oil aerosol content of 0.5 mg/m³ @ 21°C.



TYPE FF

High Efficiency Oil Removal Filtration

For the removal of particles down to 0.01 micron including water and oil aerosols, providing a maximum remaining oil aerosol content of 0.01 mg/m³ @ 21°C. (Precede type FF with type PF)




TYPE CF

Activated Carbon Filtration

For the removal of oil vapour and hydrocarbon odour giving a maximum remaining oil content of <0.003 mg/m³ (<0.003 ppm) (excluding methane) @ 21°C. (Precede type CF with type FF & PF)

PF - PreFilter
FF - Fine Filter
CF - Carbon Filter



MODEL	END CONNECTION	FLOW RATES		WEIGHT
		cfm	m3/h	Kg
HF01	G 3/8	18	31	1.2
HF02	G 3/8	35	59	1.3
HF03	G 1/2	53	90	1.5
HF04	G 1/2	70	119	1.6
HF05	G 3/4	105	178	1.8
HF06	G 1	125	212	1.8
HF07	G 1	160	272	2.5
HF08	G 1 1/4	210	357	2.7
HF09	G 1 1/2	280	476	5
HF10	G 2	420	714	6
HF11	G 2	620	1053	28
HF12	G 2 1/2	840	1427	33
HF13	G 3	1120	1903	40
HF14	G 4	1700	2888	80
HF15	G 4	2540	4315	80
HF16	G 4	3300	5607	90

The Dimensions & Weight can vary as per company offering & products improvement
The Company on product improvement and reserves the right of design improvement parameters are subject to change without prior notice.

APPLICATIONS



HANVI
COMPRESSORS PVT LTD

Hanvi Compressors Pvt Ltd

Registered office:

#1-1-416/A, G-2, Amani Apartments, Gandhi Nagar,
Hyderabad, Telangana - 500 080

Phone No. : +91-99487 40048, +91-90303 33714

Email : info@hanvicompressors.com

Web Site : www.hanvicompressors.com

Authorised distributors / Business associate