


ROTARY TYPE SCREW AIR COMPRESSORS



ERGONOMIC BY DESIGN


RELIABLE WITH SERVICES





REFRIGERATED AIR DRYER





MODEL	FLOW		MAX INLET PRESSURE	NOMINAL CONNECTED POWER	INLET/OUTLET SIZE
	cfm	m3/min	bar g	KW	
HAD 020	20	0.57	16	0.16	1/2" BSP-F
HAD 030	30	0.85	16	0.19	1/2" BSP-F
HAD 040	40	1.15	16	0.21	1/2" BSP-F
HAD 050	50	1.42	16	0.29	1/2" BSP-F
HAD 080	80	2.27	14	0.39	1" BSP-F
HAD 100	100	2.83	14	0.48	1.1/4" BSP-F
HAD 150	150	4.25	14	0.71	1.1/4" BSP-F
HAD 200	200	5.66	14	0.82	1.1/2" BSP-F
HAD 300	300	8.49	14	0.92	2" BSP-F
HAD 400	400	11.33	14	1.4	2" BSP-F
HAD 500	500	14.16	14	1.5	2.1/2" BSP-F
HAD 600	600	17	14	2.1	DN80-PN16
HAD 750	750	21.24	14	2.55	DN80-PN16
HAD 900	900	25.48	14	2.85	DN80-PN16
HAD 1000	1000	28.33	14	3.1	DN80-PN16
HAD 1254	1250	35.51	14	3.5	DN80-PN16

Features

- Environment Friendly
- More Reliability
- Power Saving
- Low Pressure Drop
- Compact Design
- Reduced Maintenance

• Consistent Dew Point

APPLICATIONS





Hanvi Compressors Pvt Ltd

Registered office:

#1-1-416/A, G-2, Amani Apartments, Gandhi Nagar,

Hyderabad, Telangana - 500 080

Phone No.: +91-99487 40048, +91-90303 33714

Email: info@hanvicompressors.com
Web Site: www.hanvicompressors.com

Authorised distributors / Business associate